


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	9/19/2016	DPD	JAG





ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-1	1	THREADED ROD WELDMENT			2
	1		-3		THREADED ROD END	4140/4142		3
	1		-5		THREADED ROD	STEEL	M8 X 1.25mm, CLASS 10.9 (MCMaster-CARR #1078N12) MODIFIED	4
			-7	1	COLLET	S7		5
			-9	1	CLAMP	4140/4142		6
			-11	1	ROTATING END	4140/4142		7
		B/O	-13	1	DOWEL PIN	STEEL	M4 X 60mm (MCMaster-CARR #91595A192)	1
		B/O	-15	1	SPRING PIN	S.S.	M2 X 10mm (MCMaster-CARR #91610A205)	1
		B/O	-17	2	THIN HEX NUT	STEEL	M8 X 1.25mm (MCMaster-CARR #90695A040)	1
		B/O	-19	1	PISTOL CASE	PLASTIC	(RSR GROUP #10137)	N/S
	ASSY -1							

NOTE:
REF. EUROCOPTER T/N: 1X56-122-270.

DART AEROSPACE											
TITLE PULLER											
DWG NO. RBE1X56-122-270	REV 1										
<table border="1"> <tr> <td>MAT'L</td> <td>UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td>HEAT TREAT</td> <td>DIMENSIONS ARE IN INCHES</td> </tr> <tr> <td>FINISH</td> <td>.XXX ± .005 FRACTIONS ± 1/8</td> </tr> <tr> <td>SPEC</td> <td>.XX ± .01 ANGLES ± .5°</td> </tr> <tr> <td></td> <td>.X ± .1 SURFACES = 125°</td> </tr> </table>		MAT'L	UNLESS OTHERWISE SPECIFIED	HEAT TREAT	DIMENSIONS ARE IN INCHES	FINISH	.XXX ± .005 FRACTIONS ± 1/8	SPEC	.XX ± .01 ANGLES ± .5°		.X ± .1 SURFACES = 125°
MAT'L	UNLESS OTHERWISE SPECIFIED										
HEAT TREAT	DIMENSIONS ARE IN INCHES										
FINISH	.XXX ± .005 FRACTIONS ± 1/8										
SPEC	.XX ± .01 ANGLES ± .5°										
	.X ± .1 SURFACES = 125°										
<table border="1"> <tr> <td>DRAWN BY:</td> <td>DUERFELDT</td> </tr> <tr> <td>CHECKED:</td> <td>CLOUGH</td> </tr> <tr> <td>OPPS APPR:</td> <td>ANDERSON</td> </tr> <tr> <td>QA APPR:</td> <td>LINDSAY</td> </tr> <tr> <td>APPROVED:</td> <td>GILBERT</td> </tr> </table>		DRAWN BY:	DUERFELDT	CHECKED:	CLOUGH	OPPS APPR:	ANDERSON	QA APPR:	LINDSAY	APPROVED:	GILBERT
DRAWN BY:	DUERFELDT										
CHECKED:	CLOUGH										
OPPS APPR:	ANDERSON										
QA APPR:	LINDSAY										
APPROVED:	GILBERT										
<table border="1"> <tr> <td>SCALE</td> <td>1:2</td> </tr> <tr> <td>DATE</td> <td>7/12/2016</td> </tr> <tr> <td colspan="2">SHEET 1 OF 7</td> </tr> </table>		SCALE	1:2	DATE	7/12/2016	SHEET 1 OF 7					
SCALE	1:2										
DATE	7/12/2016										
SHEET 1 OF 7											

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED






(-1)
THREADED ROD WELDMENT

DART AEROSPACE	
TITLE PULLER	
DWG NO. RBE1X56-122-270-1	REV 1
MAT'L STEEL	UNLESS OTHERWISE SPECIFIED
HEAT TREAT BLACK OXIDE	DIMENSIONS ARE IN INCHES
FINISH BLACK OXIDE	.XXX ± .010 FRACTIONS ± 1/8
SPEC QMSI-6.2.2, B.O. REV D	.XX ± .03 ANGLES ± 1°
DRAWN BY: DUERFELDT	.X ± .1 SURFACES = 125
CHECKED: CLOUGH	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
SCALE 2:1	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 7/12/2016	USED ON MODEL
	EC145
	SHEET 2 OF 7

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED




(-3)
THREADED ROD END

DART AEROSPACE	
TITLE PULLER	
DWG NO. RBE1X56-122-270-3	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1	.XXX ± .005 FRACTIONS ± 1/8
SPEC	.XX ± .01 ANGLES ± 5°
	.X ± .1 SURFACES = 125°
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 4:1	DATE 7/12/2016
	SHEET 3 OF 7

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS							
REV	ECR	DESCRIPTION			DATE	INITIAL	APPROVED







(5)

THREADED ROD

DART AEROSPACE	
TITLE PULLER	
DWG NO. RBE1X56-122-270-5	REV 1
MAT'L STEEL	UNLESS OTHERWISE SPECIFIED
HEAT TREAT	DIMENSIONS ARE IN INCHES
FINISH SEE -1	.XXX \pm .005 FRACTIONS \pm 1/8
SPEC	.XX \pm .01 ANGLES \pm 5°
DRAWN BY: DUERFELDT	.X \pm .1 SURFACES = 125°
CHECKED: CLOUGH	1. BREAK ALL SHARP EDGES
OPPS APPR: ANDERSON	.015 x 45° OR .015R
QA APPR: LINDSAY	2. DIMENSIONAL LIMITS APPLY
APPROVED: GILBERT	AFTER PLATING
SCALE 2:1	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
DATE 7/12/2016	USED ON MODEL
SHEET 4 OF 7	EC145

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL



SECTION A-A





(-7)

COLLET

DART AEROSPACE	
TITLE PULLER	
DWG NO. RBE1X56-122-270-7	REV 1
MAT'L S7 HEAT RC 45-52 TREAT FINISH BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV D	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 FRACTIONS \pm 1/8 .XX \pm .01 ANGLES \pm 5° .X \pm .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT	USED ON MODEL EC145
CHECKED: CLOUGH	
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:1	DATE 7/12/2016
SHEET 5 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	






ENGRAVE T/N, S/N,
 "MADE IN USA"

(-9)
 CLAMP

DART AEROSPACE	
TITLE PULLER	
DWG NO. RBE1X56-122-270-9	REV 1
MAT'L 4140/4142 HEAT TREAT RC 55-60 FINISH BLACK OXIDE SPEC QMSI-6.2.2, B.O. REV D	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 FRACTIONS \pm 1/8 .XX \pm .01 ANGLES \pm 5° .X \pm .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY: DUERFELDT	USED ON MODEL
CHECKED: CLOUGH	EC145
OPPS APPR: ANDERSON	
QA APPR: LINDSAY	
APPROVED: GILBERT	
SCALE 1:1	DATE 7/12/2016
SHEET 6 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



(-11)

ROTATING END

DART AEROSPACE	
TITLE: PULLER	
DWG NO. RBE1X56-122-270-11	REV 1
MAT'L 4140/4142	UNLESS OTHERWISE SPECIFIED
HEAT TREAT RC 28-34	DIMENSIONS ARE IN INCHES
FINISH BLACK OXIDE	.XXX ± .005 FRACTIONS ± 1/8
SPEC QMSI-6.2.2, B.O. REV D	.XX ± .01 ANGLES ± 5°
	.X ± .1 SURFACES = 125
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: CLOUGH	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
SCALE 2:1	DATE 7/12/2016
	SHEET 7 OF 7